

### **Amendments to the Claims**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (currently amended) A device for securely storing a value indicative of funds available for use, comprising:

a first storage for storing said value;

an internally stored identifier within said device for providing a unique identification of said device;

a second storage in said device for storing information assigning said device to operate in an initial ~~individual-operation~~ application environment; and

a first communications interface for changing said information so as to assign said device to a new remotely located external application environment for servicing the device, the new application environment for servicing the device being different from the initial ~~operational~~ application environment; and

a second communications interface to provide the internally stored identifier to an external system.

2. (previously presented) The device of claim 1, wherein said identifier is digital data.

3. (previously presented) The device of claim 1 wherein said identifier is a character string.

4. (previously presented) The device of claim 2, further comprising circuitry, wherein said digital data is stored on said circuitry.

5. (currently amended) The device of claim 1, in combination with an adapter for connecting to said device, said adapter further comprising:

an electrical connector ~~for electrically connecting~~ configured to connect to said device;

and

an interface ~~for supporting~~ configured to provide communication between said device and an external system, ~~so that said device can be identified by said external system reading by reading said identifier.~~

6. (currently amended) The device of claim 5, wherein said interface supports communication with at least one protocol selected from the group consisting of RS-232; IEEE 488; USB; TCP/IP; SCSI; Infrared, RF; net appliance protocol; and personal computer bus protocols.

7. (previously presented) The device of claim 1, configured as a virtual device on a computer.

8. (currently amended) The device of claim 1, ~~configured so as to be useful as~~ wherein the device is a postal funds security device.

9. (currently amended) The device of claim 8, ~~configured to be used in~~ wherein the initial application environment is a closed postal system ~~application environment~~, the closed postal system ~~application environment~~ having a printing function that is integral to the closed postal system ~~application environment~~.

10. (currently amended) The device of claim 8, ~~configured to be used in~~ wherein the initial application environment is an open postal system ~~application environment~~, the open postal system ~~application environment~~ having a printing function that is external to the open postal system ~~application environment~~.

11. (previously presented) The device of claim 1, embodied in the form of an apparatus, further comprising a human readable identifier corresponding to said internally stored identifier, said human readable identifier being displayed externally on said apparatus.

12. (previously presented) The device of claim 1, embodied in the form of an apparatus, further comprising externally visible indicia on said apparatus, said indicia corresponding to said internally stored identifier.

13. (previously presented) The device of claim 12, wherein said externally visible indicia comprises at least one of a bar code and a serial number.

14. (withdrawn) A method for allocating use of a device for securely storing a value indicative of funds available for use; said device having an internally stored identifier for providing a unique identification of said device, said method comprising:

- a) relating said identifier to an initial application environment;
- b) configuring the device to operate in said initial application environment; and
- c) reallocating said device by repeating steps a) and b) for introduction to new application environments, the new application environments being different than the initial application environment.

15. (withdrawn) A method for allocating use of a device for securely storing a value indicative of funds available for use; said device having a storage for storing said value and an internally stored identifier for providing a unique identification of said device, said method comprising:

- a) relating said identifier to an initial application environment; and
- b) configuring the device to operate in said initial application environment.

16. (withdrawn) The method of claim 15, wherein said identifier is digital data.

17. (withdrawn) The method of claim 15, wherein said identifier is a character string.

18. (withdrawn) The method of claim 15, wherein said identifier is digital data stored in circuitry in said device.

19. (withdrawn) The method of claim 15, wherein said device is embodied in an apparatus, further comprising establishing communication between said apparatus and a system external to said apparatus.

20. (withdrawn) The method of claim 19, further comprising identifying said apparatus by reading said identifier.

21. (withdrawn) The method of claim 20, further comprising:  
connecting said apparatus to an adapter, said adapter comprising an electrical connector for electrically connecting to said apparatus, and an interface for supporting communication between said apparatus and an external system; and  
identifying said apparatus with said external system by said external system reading said identifier.
22. (withdrawn) The method of claim 21, wherein communication is established with at least one protocol selected from the group consisting of RS-232; IEEE 488; USB; TCP/IP; SCSI; infrared; optical; RF; net appliance protocol; and personal computer bus protocols.
23. (withdrawn) The method of claim 15, wherein said device is configured as a virtual device on a computer.
24. (withdrawn) The method of claim 15, wherein said device is configured so as to be useful as a postal funds security device.
25. (withdrawn) The method of claim 24, wherein said device is configured to be used in a closed postal system application environment.
26. (withdrawn) The method of claim 24, wherein said device is configured to be used in an open postal system application environment.
27. (withdrawn) The method of claim 15, wherein said device is embodied in the form of an apparatus, the method further comprising providing visible access externally on said apparatus to a human readable identifier corresponding to said internally stored identifier.
28. (withdrawn) The method of claim 15, wherein said device is embodied in the form of an apparatus, further comprising placing externally visible indicia on said apparatus, said indicia corresponding to said internally stored identifier.

29. (withdrawn) The method of claim 28, wherein said externally visible indicia comprises at least one of a bar code and a serial number.
30. (withdrawn) The method of claim 15, further comprising reallocating said device by repeating steps a) and b) for a new application environment, the new application environment being different than the initial application environment.
31. (withdrawn) The method of claim 30, further comprising placing said device in the new application environment before accomplishing said reallocation.
32. (withdrawn) The method of claim 31, further comprising authorizing said reallocation using a secure authorization step.
33. (withdrawn) The method of claim 32, wherein said step comprises at least one of using encryption and using a password to authenticate said authorization step.
34. (withdrawn) The method of claim 14, further comprising transmitting the internally stored identifier to an external system.
35. (withdrawn) The method of claim 15, further comprising transmitting the internally stored identifier to an external system.
36. (currently amended) A device comprising:  
a first storage to store an indication of funds available for use;  
a second storage to store an identifier associated with the device;  
a third storage to store assignment information describing the application environment to which the device is assigned; and  
a communication interface to provide the identifier to an external system;

wherein the assignment information comprises information ~~describing at least one of a customer, a function set, or an operating environment~~ assigning the device to one of an open postal system, a closed postal system, and a data center.

37. (previously presented) The device of claim 36, further comprising a human readable representation of the identifier, the human readable representation disposed on an outer surface of the device.

38. (previously presented) A method for allocating use of an available funds storage device comprising:

- storing an identifier of the device in a storage of the device;
- providing the identifier to an external system;
- associating the identifier with a first application environment;
- storing an indication of the first application environment in the device; and
- when the device is to be used in a new application environment:
  - providing the identifier to an external system;
  - disassociating the identifier with the first application environment;
  - associating the identifier with a second application environment, the second application environment being different from the first application environment; and
- storing an indication of the second application environment in the device.

39. (previously presented) The method of claim 38, wherein the first application environment, the second application environment, or both comprise a postal system application environment.

40. (previously presented) The method of claim 39, further comprising placing the device in the second application environment prior to disassociating the identifier with the first application environment and associating the identifier with the second application environment.

41. (previously presented) The method of claim 38, wherein the second application environment is a personal computer.

42. (previously presented) The device of claim 5, wherein said interface supports communication with a personal computer.

43. (new) A method of servicing a postal security device, comprising:  
removing the postal security device from a mailing system for which the postal security device stores funds available for use in printing postage;  
placing the postal security device in an adapter, the adapter comprising a connector to electrically connect to the postal security device and an interface to provide communication between the postal security device and an external system;  
connecting the adapter to a personal computer;  
establishing a connection with a remote data center;  
transferring funds from the remote data center to a descending register in the postal security device;  
disconnecting the postal security device from the adapter; and  
connecting the postal security device to the mailing system.